

# Lagoa do Macuco – testemunho MAC-C Tradagens e trincheiras em mata e campo

## **LATE PLEISTOCENE AND HOLOCENE VEGETATION, CLIMATE DYNAMICS, AND AMAZONIAN TAXA IN THE ATLANTIC FOREST, LINHARES, SE BRAZIL**

Antonio Alvaro Buso Junior<sup>1,2</sup> • Luiz Carlos Ruiz Pessenda<sup>1</sup> • Paulo Eduardo de Oliveira<sup>3</sup> •  
Paulo César Fonseca Giannini<sup>4</sup> • Marcelo Cancela Lisboa Cohen<sup>5</sup> • Cecília Volkmer-Ribeiro<sup>6</sup> •  
Sonia Maria Barros de Oliveira<sup>4</sup> • Dilce de Fátima Rossetti<sup>7</sup> • Flávio Lima Lorente<sup>1</sup> •  
Marcos Antonio Borotti Filho<sup>1</sup> • Jolimar Antonio Schiavo<sup>8</sup> • José Albertino Bendassolli<sup>1</sup> •  
Marlon Carlos França<sup>9</sup> • José Tasso Felix Guimarães<sup>9</sup> • Geovane Souza Siqueira<sup>10</sup>

© 2013 by the Arizona Board of Regents on behalf of the University of Arizona  
*Proceedings of the 21st International Radiocarbon Conference* edited by A J T Jull & C Hatté  
RADIOCARBON, Vol 55, Nr 2–3, 2013, p 1747–1762






Table 2  $^{14}\text{C}$  dates and calibrated ages from humin fraction of soil organic matter.


Lab <sup>a</sup> #	Dated material	Depth (cm)	Age (BP)	Age (cal BP; $2\sigma$ )
<b>Sampling site: MBT (forest)</b>				
UGAMS4270	Humin	40–50	$2720 \pm 25$	2844–2744
UGAMS4271	Humin	90–100	$6240 \pm 30$	7234–6954
UGAMS4272	Humin	190–200	$6960 \pm 30$	7827–7669
<b>Sampling site: NG1/1 (grassland)</b>				
UGAMS8195	Humin	350–360	$13,280 \pm 60$	16,685–15,461


<sup>a</sup>UGAMS, University of Georgia, USA.











# Nativo do Flamengo – área alagável

## Resultados preliminares




Figura 5 – Foto aérea do Nativo do Flamengo (seta); Pode-se observar a floresta de tabuleiros em seu entorno.



Figura 6 – Foto do Nativo do Flamengo, mostrando a área de vegetação aberta (campo nativo) e muçumunga do entorno.






Figura 23 – Nativo do Flamengo. Diagrama polínico de porcentagens de táxons selecionados e de grupos ecológicos, resultados das análises de carbono e nitrogênio.